

Day : Tuesday Date: 3/18/2008

Time: 17:08:20

Inventor Name Search Result

Your Search was:

Last Name = SATO First Name = HIROYUKI

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|---------------|--------|------------|---|-------------------|
| 06259434 | 4351920 | 150 | 05/01/1981 | THERMOPLASTIC RESIN COMPOSITION | SATO, HIROYUK |
| 06286856 | Not Issued | 161 | 07/27/1981 | PROCESS FOR PRODUCING THERMOPLASTIC RESIN FOAM | SATO, HIROYUK |
| 06462336 | Not Issued | 166 | 01/31/1983 | PROCESS FOR PRODUCING THERMOPLASTIC RESIN FOAM | SATO, HIROYUK |
| 06503167 | 4456732 | 150 | 06/10/1983 | THERMOPLASTIC RESIN COMPOSITION HAVING IMPROVED WELD STRENGTH | SATO, HIROYUK |
| 06724509 | 4596832 | 150 | 04/19/1985 | PROCESS FOR PRODUCING THERMOPLASTIC RESIN FOAM | SATO, HIROYUK |
| 06757498 | 4627307 | 150 | 07/22/1985 | FIBER-REINFORCED PLASTIC CORE MATERIAL FOR STEERING WHEELS | SATO, HIROYUK |
| 06870184 | 4743985 | 150 | 06/03/1986 | IN A VIDEO TAPE RECORDER HAVING ROTARY RECORDING, AUXILIARY AND ERASING HEADS, A CIRCUIT FOR SHORT CIRCUITING THE AUXILIARY HEAD DURING ERASING | SATO, HIROYUKI |
| 06872861 | 4682245 | 150 | 06/11/1986 | VIDEO AND AUDIO SIGNAL RECORDING ,REPRODUCING AND EDITING APPARATUS WITH REPLACEMENT OF VIEWED LUMINANCE SIGNAL COMPONENT DURING INSERT AUDIO EDING MODE | SATO, HIROYUKI |
| 06875538 | 4748517 | 150 | 06/18/1986 | PCM AUDIO SIGNAL REPRODUCING APPARATUS | SATO, HIROYUKI |
| 06908344 | 4859101 | 150 | 09/17/1986 | DEVICE FOR COOLING A CARRIAGE MOTOR AND PRINTHEAD IN A SERIAL PRINTER | SATO, HIROYUK |
| 06914221 | 4802167 | 150 | 10/02/1986 | DATA MONITOR APPARATUS | SATO, HIROYUKI |
| 06914685 | 4745621 | 150 | 10/02/1986 | METHOD OF AND APPARATUS FOR | SATO, |

| | | | | DETECTING MINIMUM BIT NUMBER OF RECEIVED DATA | HIROYUKI |
|----------|---------------|-----|------------|--|-------------------|
| 07112096 | Not Issued | 161 | 10/21/1987 | INK RIBBON CASSETTE | SATO, HIROYUKI |
| 07135842 | 4875789 | 150 | 12/21/1987 | INK RIBBON CASSSETTE WITH SLIDABLE RIBBON GUIDE | SATO, HIROYUKI |
| 07160702 | 4843195 | 150 | 02/26/1988 | SWITCH HAVING DUST-PROOF COVER | SATO, HIROYUKI |
| 07160915 | Not Issued | 166 | 02/26/1988 | SWITCH DEVICE | SATO, HIROYUKI |
| 07170920 | 4947008 | 150 | 03/17/1988 | SWITCH DEVICE | SATO, HIROYUKI |
| 07235350 | 4904833 | 150 | 08/23/1988 | SWITCH DEVICE WITH AUTOMATIC NEUTRAL POINT RESTORING POSITION AND RELEASABLY LOCKABLE NONNEUTRAL POSITION | SATO, HIROYUKI |
| 07349880 | 4978823 | 150 | 05/09/1989 | SEESAW-TYPE SWITCH DEVICE HAVING A SNAP-COUPLED ACTUATOR | SATO, HIROYUKI |
| 07381837 | 4996067 | 250 | 07/19/1989 | FEED ADDITIVE FOR RUMINANTS | SATO, HIROYUKI |
| 07416893 | Not Issued | 166 | 10/04/1989 | PAPER RETAINING MECHANISM | SATO, HIROYUKI |
| 07416895 | 5015104 | 150 | 10/04/1989 | SHAFT BEARING STRUCTURE | SATO, HIROYUKI |
| 07421869 | 5011313 | 150 | 10/16/1989 | PAPER FEED MECHANISM FOR A PRINTER | SATO, HIROYUKI |
| 07440374 | 4997834 | 150 | 11/22/1989 | TRANS-4-AMINO(ALKYL)-1- PYRIDYLCARBAMOYLCYCLOHEXANE COMPOUNDS AND PHARMACEUTICAL USE THEREOF | SATO, HIROYUKI |
| 07442045 | 5026175 | 150 | 11/27/1989 | SHAFT SUPPORTING STRUCTURE | SATO, HIROYUKI |
| 07447289 | 5074688 | 150 | 12/07/1989 | STRUCTURE FOR MOUNTING PRINTING HEAD | SATO, HIROYUKI |
| 07492706 | 5114254 | 150 | 03/13/1990 | HAVING MEANS TO FEED BOTH FABRIC AND FLIM RIBBONS | SATO, HIROYUKI |
| 07599133 | 5161130 | 150 | 10/17/1990 | CLOCK WITH OPENABLE DIAL PIECES | SATO, HIROYUKI |
| 07622659 | 5205655 | 150 | 12/05/1990 | SHAFT SUPPORTING STRUCTURE | SATO, HIROYUKI |
| 07650844 | 5124721 | 150 | 02/04/1991 | RECORDING SHEET AND INK JET RECORDING METHOD USING THE SAME | SATO, HIROYUKI |
| | | | | | |

| 07677480 | 5178946 | 150 | 03/29/1991 | RESIN LAMINATES | SATO, HIROYUKI |
|--|--|--------------------------|--|--|--|
| 07692426 | 5113205 | 150 | 04/29/1991 | INK JET HEAD | SATO, HIROYUKI |
| 07726968 | Not Issued | 166 | 07/08/1991 | BASIC CELL AND ARRANGEMENT STRUCTURE THEREOF | SATO, HIROYUKI |
| 07740646 | 5078524 | 150 | 07/31/1991 | PAPER RETAINING MECHANISM | SATO, HIROYUKI |
| 07753447 | 5096775 | 150 | 08/30/1991 | RESIN LAMINATE | SATO, HIROYUKI |
| 07816896 | 5282135 | 150 | 01/03/1992 | STEERING HANDLE POSITION SENSOR CHECKING APPARATUS | SATO, HIROYUKI |
| 07816898 | 5283740 | 150 | 01/03/1992 | STEERING HANDLE POSITION SENSOR CHECKING APPARATUS | SATO, HIROYUKI |
| 07820379 | 5227166 | 150 | 01/14/1992 | FEED ADDITIVE FOR RUMINANTS | SATO, HIROYUKI |
| 07832047 | Not Issued | 161 | 02/06/1992 | PHOTOREACTIVE COMPOUND AND A PHOTOCURABLE RESIN COMPOSITION USING THE SAME | SATO, HIROYUKI |
| 07858735 | 5262517 | 250 | 03/27/1992 | PRODUCTION PROCESSES OF ARYLENE THIOETHER OLIGOMER AND COPOLYMER | SATO, HIROYUKI |
| 07875331 | Not Issued | 166 | 04/29/1992 | RESIN FOR BONDING POLYARYLENE SULFIDE AND ADHESIVE | SATO, HIROYUKI |
| | 100000 | | | 502112111111111111111111111111111111111 | THROTORI |
| 07920743 | 5605987 | 150 | 07/08/1992 | PRODUCTION PROCESS OF ALKYLENE THIOETHER-ARYLENE THIOETHER COPOLYMER | SATO, HIROYUKI |
| 07920743 07939734 | | | | PRODUCTION PROCESS OF ALKYLENE THIOETHER-ARYLENE THIOETHER | SATO, |
| - | 5605987 | 150 | 09/02/1992 | PRODUCTION PROCESS OF ALKYLENE THIOETHER-ARYLENE THIOETHER COPOLYMER MOISTUREPROOF STRUCTURE FOR MODULE CIRCUITS AIR-BUBBLE DETECTION APPARATUS OF INK JET RECORDING HEAD, AND METHOD AND APPARATUS FOR RESTORING INK JET RECORDING HEAD | SATO, HIROYUKI SATO, |
| 07939734 | 5605987 5276414 | 150 | 09/02/1992 | PRODUCTION PROCESS OF ALKYLENE THIOETHER-ARYLENE THIOETHER COPOLYMER MOISTUREPROOF STRUCTURE FOR MODULE CIRCUITS AIR-BUBBLE DETECTION APPARATUS OF INK JET RECORDING HEAD, AND METHOD AND APPARATUS FOR RESTORING INK JET RECORDING | SATO, HIROYUKI SATO, HIROYUKI SATO, |
| 07939734 07971497 | 5605987 5276414 5500657 | 150 | 09/02/1992 11/03/1992 11/09/1992 | PRODUCTION PROCESS OF ALKYLENE THIOETHER-ARYLENE THIOETHER COPOLYMER MOISTUREPROOF STRUCTURE FOR MODULE CIRCUITS AIR-BUBBLE DETECTION APPARATUS OF INK JET RECORDING HEAD, AND METHOD AND APPARATUS FOR RESTORING INK JET RECORDING HEAD FEED ADDITIVE COMPOSITION FOR | SATO, HIROYUKI SATO, HIROYUKI SATO, HIROYUKI |
| 07939734 07971497 07973621 | 5605987 5276414 5500657 5429832 Not | 150 150 250 | 09/02/1992 11/03/1992 11/09/1992 11/18/1992 | PRODUCTION PROCESS OF ALKYLENE THIOETHER-ARYLENE THIOETHER COPOLYMER MOISTUREPROOF STRUCTURE FOR MODULE CIRCUITS AIR-BUBBLE DETECTION APPARATUS OF INK JET RECORDING HEAD, AND METHOD AND APPARATUS FOR RESTORING INK JET RECORDING HEAD FEED ADDITIVE COMPOSITION FOR RUMINANTS A PHOTOCURABLE RESIN | SATO, HIROYUKI SATO, HIROYUKI SATO, HIROYUKI SATO, HIROYUKI SATO, |
| 07939734 07971497 07973621 07978374 | 5605987 5276414 5500657 5429832 Not Issued Not | 150 150 250 161 | 09/02/1992 11/03/1992 11/09/1992 11/18/1992 02/16/1993 | PRODUCTION PROCESS OF ALKYLENE THIOETHER-ARYLENE THIOETHER COPOLYMER MOISTUREPROOF STRUCTURE FOR MODULE CIRCUITS AIR-BUBBLE DETECTION APPARATUS OF INK JET RECORDING HEAD, AND METHOD AND APPARATUS FOR RESTORING INK JET RECORDING HEAD FEED ADDITIVE COMPOSITION FOR RUMINANTS A PHOTOCURABLE RESIN COMPOSITION METHOD FOR SUPPLEMENTING AMINO ACID LEVELS IN RUMINANT | SATO, HIROYUKI SATO, HIROYUKI SATO, HIROYUKI SATO, HIROYUKI SATO, HIROYUKI SATO, |

| | | | | HIROYUKI |
|----------|---------|-----|---|----------|
| 08067000 | 5442003 | 150 | PARA-ARAMID DOPE OF LOW DEGREE OF POLYMERIZATION, PARA-ARAMID FIBER AND PARA-ARAMID PULP PRODUCED THEREFROM AND PROCESSES FOR PRODUCING THE SAME | |

Search and Display More Records.

| | Last Name | First Name | |
|--------------------------|-----------|------------|--------|
| Search Another: Inventor | SATO | HIROYUKI | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page